

# Safety Data Sheet

Issue Date: 28-Jan-2014

Revision Date: 27-Jul-2020

Version 2

## 1. IDENTIFICATION

### Product Identifier

**Product Name** BLAST OFF

### Other means of identification

**SDS #** DSI-020

**Product Code** 5102, 5105, 51015, 51030, 51055  
**UN/ID No** UN3266

### Recommended use of the chemical and restrictions on use

**Recommended Use** Wheel and tire cleaner.

### Details of the supplier of the safety data sheet

#### **Supplier Address**

Diamond Shine, Inc  
1340 E. 289th St  
Wickliffe, OH 44092

### Emergency Telephone Number

**Company Phone Number** 800-843-7627  
**Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Clear, colorless liquid

**Physical State** Liquid

### Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

### Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

### Signal Word

**Danger**

### Hazard Statements

Causes severe skin burns and eye damage  
May cause respiratory irritation. May cause drowsiness or dizziness



**Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray  
 Wash face, hands and any exposed skin thoroughly after handling  
 Wear protective gloves/protective clothing/eye protection/face protection  
 Use only outdoors or in a well-ventilated area

**Precautionary Statements - Response**

Immediately call a poison center or doctor/physician  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a poison center or doctor/physician  
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
 Wash contaminated clothing before reuse  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Immediately call a poison center or doctor/physician  
 IF SWALLOWED: rinse mouth. Do NOT induce vomiting  
 Immediately call a poison center or doctor/physician

**Precautionary Statements - Storage**

Store locked up  
 Store in a well-ventilated place. Keep container tightly closed

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other Hazards**

Harmful to aquatic life with long lasting effects

**Unknown Acute Toxicity**

9% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Monoethanolamine	141-43-5	10-15
Ethylene Glycol Monobutyl Ether	111-76-2	5-10
Caustic Soda	1310-73-2	<5
Alkylpolyglycoside C10-16	110615-47-9	<5
Tetrasodium EDTA	64-02-8	<5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST-AID MEASURES

**First Aid Measures**

<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
<b>Skin Contact</b>	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation persists, call a physician.
<b>Inhalation</b>	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician. Artificial respiration and/or oxygen may be necessary.

---

<b>Ingestion</b>	IF SWALLOWED: call a poison control center or physician immediately. If conscious give 2 glasses of water to dilute. Never give anything by mouth to an unconscious person. Do not induce vomiting.
------------------	---

**Most important symptoms and effects**

<b>Symptoms</b>	Causes severe skin burns and eye damage. Headache. Nausea. Inhalation may cause drowsiness or dizziness. May cause respiratory irritation.
-----------------	--

**Indication of any immediate medical attention and special treatment needed**

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

---

**5. FIRE-FIGHTING MEASURES**

---

**Suitable Extinguishing Media**

Water spray (fog). Foam. Dry chemical. Sand/earth.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Material is corrosive. The product is not expected to present any fire or explosion hazards under prescribed use conditions.

**Hazardous Combustion Products** None known.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

---

**6. ACCIDENTAL RELEASE MEASURES**

---

**Personal precautions, protective equipment and emergency procedures**

<b>Personal Precautions</b>	Use personal protective equipment as required.
-----------------------------	--

<b>Environmental Precautions</b>	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.
----------------------------------	--

**Methods and material for containment and cleaning up**

<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so. Contain spilled material if possible. Absorb with materials such as: Dirt. Sand. Sawdust.
--------------------------------	---

<b>Methods for Clean-Up</b>	Transfer liquid and solid material into suitable containers in accordance with local, state and federal regulations for disposal.
-----------------------------	---

---

**7. HANDLING AND STORAGE**

---

**Precautions for safe handling**

<b>Advice on Safe Handling</b>	Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Follow all product label instructions. Use only as directed. Use only outdoors or in a well-ventilated area.
--------------------------------	--

---

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up. Store away from heat and incompatible materials.

**Incompatible Materials** Acids. Soft metals. Store away from oxidizing agents/reducing agents.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Monoethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m <sup>3</sup> (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m <sup>3</sup> (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m <sup>3</sup>	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m <sup>3</sup> STEL: 6 ppm STEL: 15 mg/m <sup>3</sup>
Ethylene Glycol Monobutyl Ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>
Caustic Soda 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits. Eyewash stations. Showers.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Chemical anti-splash safety goggles.

**Skin and Body Protection** Protective gloves. Wear suitable protective clothing to prevent contact with skin.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation wear respiratory protection.

**General Hygiene Considerations** Wash contaminated clothing before reuse. Wash face, hands and any exposed skin thoroughly after handling. Protective clothing and equipment should be in accordance with 29 CFR 1910.132 and 1910.133.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid	<b>Odor</b>	Not determined
<b>Appearance</b>	Clear, colorless liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Colorless		

<b>Property</b>	<b>Values</b>	<b>Remarks • Method</b>
<b>pH</b>	13.0-14.0	
<b>Melting Point/Freezing Point</b>	Not determined	
<b>Boiling Point/Boiling Range</b>	> 100 °C / > 212 °F	
<b>Flash Point</b>	Not applicable	
<b>Evaporation Rate</b>	Not available	
<b>Flammability (Solid, Gas)</b>	Liquid-not applicable	
<b>Upper Flammability Limits</b>	Not applicable	

<b>Lower Flammability Limit</b>	Not applicable	
<b>Vapor Pressure</b>	Not available	
<b>Vapor Density</b>	Not available	
<b>Specific Gravity</b>	1.060	@ 25 °C (77 °F) (1=Water)
<b>Water Solubility</b>	Completely soluble	
<b>Solubility in other solvents</b>	Not determined	
<b>Partition Coefficient</b>	Not determined	
<b>Auto-ignition Temperature</b>	Not determined	
<b>Decomposition Temperature</b>	Not determined	
<b>Kinematic Viscosity</b>	Not determined	
<b>Dynamic Viscosity</b>	Not determined	
<b>Explosive Properties</b>	Not an explosive	
<b>Oxidizing Properties</b>	Not determined	

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

### Conditions to Avoid

Excessive heat.

### Incompatible Materials

Acids. Soft metals. Store away from oxidizing agents/reducing agents.

### Hazardous Decomposition Products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### **Product Information**

<b>Eye Contact</b>	Causes severe eye damage.
<b>Skin Contact</b>	Causes severe skin burns.
<b>Inhalation</b>	Avoid breathing vapors or mists.
<b>Ingestion</b>	May be harmful if swallowed.

**Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg ( Rat )	-	-
Monoethanolamine 141-43-5	= 1720 mg/kg ( Rat )	= 1 mL/kg ( Rabbit ) = 1025 mg/kg ( Rabbit )	-
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg ( Rat )	= 2270 mg/kg ( Rat ) = 220 mg/kg ( Rabbit )	= 2.21 mg/L ( Rat ) 4 h = 450 ppm ( Rat ) 4 h
Caustic Soda 1310-73-2	-	= 1350 mg/kg ( Rabbit )	-
Tetrasodium EDTA 64-02-8	= 10 g/kg ( Rat )	-	-

**Information on physical, chemical and toxicological effects****Symptoms**

Please see section 4 of this SDS for symptoms.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Carcinogenicity**

The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested. Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene Glycol Monobutyl Ether 111-76-2	A3	Group 3		

*ACGIH (American Conference of Governmental Industrial Hygienists)**A3 - Animal Carcinogen**IARC (International Agency for Research on Cancer)**Group 3 IARC components are "not classifiable as human carcinogens"***STOT - single exposure**

May cause respiratory irritation. May cause drowsiness or dizziness.

**Numerical measures of toxicity**

Not determined

**Unknown Acute Toxicity**

9% of the mixture consists of ingredient(s) of unknown toxicity.

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Harmful to aquatic life with long lasting effects.

**Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Monoethanolamine 141-43-5	15: 72 h Desmodemus subspicatus mg/L EC50	227: 96 h Pimephales promelas mg/L LC50 flow-through 3684: 96 h Brachydanio rerio mg/L LC50 static 300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static 200: 96 h Oncorhynchus mykiss mg/L LC50 flow-through		65: 48 h Daphnia magna mg/L EC50
Ethylene Glycol Monobutyl Ether 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50

Caustic Soda 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static	610: 24 h Daphnia magna mg/L EC50

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

Chemical Name	Partition Coefficient
Monoethanolamine 141-43-5	-1.91
Ethylene Glycol Monobutyl Ether 111-76-2	0.81

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods**

<b>Disposal of Wastes</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.
<b>Contaminated Packaging</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.

**California Hazardous Waste Status**

Chemical Name	California Hazardous Waste Status
Caustic Soda 1310-73-2	Toxic Corrosive

**14. TRANSPORT INFORMATION****Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. Based on package size, product may be eligible for limited quantity exception.

**DOT**

<b>UN/ID No</b>	UN3266
<b>Proper Shipping Name</b>	Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide, monoethanolamine)
<b>Hazard Class</b>	8
<b>Packing Group</b>	II

**IATA**

<b>UN/ID No</b>	UN3266
<b>Proper Shipping Name</b>	Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide, monoethanolamine)
<b>Hazard Class</b>	8
<b>Packing Group</b>	II

**IMDG**

<b>UN/ID No</b>	UN3266
<b>Proper Shipping Name</b>	Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide, monoethanolamine)
<b>Hazard Class</b>	8
<b>Packing Group</b>	II
<b>Marine Pollutant</b>	This material may meet the definition of a marine pollutant

<b>15. REGULATORY INFORMATION</b>
-----------------------------------

**International Inventories**

**TSCA** Listed

**Legend:**

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*

*DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*

*EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

*ENCS - Japan Existing and New Chemical Substances*

*IECSC - China Inventory of Existing Chemical Substances*

*KECL - Korean Existing and Evaluated Chemical Substances*

*PICCS - Philippines Inventory of Chemicals and Chemical Substances*

**US Federal Regulations****CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Caustic Soda 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene Glycol Monobutyl Ether - 111-76-2	111-76-2	5-10	1.0

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Caustic Soda 1310-73-2 (<5)	1000 lb			X



**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Diethanolamine 111-42-2	Carcinogen

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Monoethanolamine 141-43-5	X	X	X
Ethylene Glycol Monobutyl Ether 111-76-2	X	X	X
Caustic Soda 1310-73-2	X	X	X

<b>16. OTHER INFORMATION</b>
------------------------------

**NEPA****Health Hazards**

Not determined

**Flammability**

Not determined

**Instability**

Not determined

**Special Hazards**

Not determined

**HMIS****Health Hazards**

2

**Flammability**

0

**Physical Hazards**

0

**Personal Protection**

Not determined

**Issue Date:**

28-Jan-2014

**Revision Date:**

27-Jul-2020

**Revision Note:**

Information in Section 15

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**