# **Safety Data Sheet**

Issue Date: 04-Sep-2014 Revision Date: 13-Jul-2017 Version 2

# 1. IDENTIFICATION

**Product Identifier** 

Product Name Power Wash

Other means of identification

**SDS #** DSI-107

Product Code 570240 UN/ID No UN3262

Recommended use of the chemical and restrictions on use

Recommended Use Automotive care.

Details of the supplier of the safety data sheet

Supplier Address Diamond Shine, Inc 1340 E. 289th St Wickliffe, OH 44092

**Emergency Telephone Number** 

Company Phone Number 800-843-7627

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance White powder Physical State Solid

Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

#### **Hazards Not Otherwise Classified (HNOC)**

May be harmful if swallowed

Signal Word Danger

**Hazard Statements** 

Causes severe skin burns and eye damage



#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

IF SWALLOWED: rinse mouth. Do NOT induce vomiting

#### <u>Precautionary Statements - Storage</u>

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Sodium Tripolyphosphate	7758-29-4	20-40
Soda Ash	497-19-8	20-30
Caustic Soda	1310-73-2	10-20
Sodium metasilicate	6834-92-0	1-5

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST-AID MEASURES

## **First Aid Measures**

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

poison center or doctor/physician.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get

medical advice/ attention.

**Inhalation**IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Artificial respiration and/or oxygen may be necessary. Immediately call a poison

center or doctor/physician.

**Ingestion** IF SWALLOWED: call a poison control center or physician immediately. Do not induce

vomiting. If conscious give 2 glasses of water to dilute. Never give anything by mouth to an

unconscious person.

#### Most important symptoms and effects

Symptoms Causes severe skin burns and eye damage. May cause irritation to the mucous membranes

and upper respiratory tract.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

## Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical. Sand/earth.

Unsuitable Extinguishing Media Not determined.

#### **Specific Hazards Arising from the Chemical**

Material is corrosive. The product is not expected to present any fire or explosion hazards under prescribed use conditions.

Hazardous Combustion Products None known.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

**Environmental Precautions** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

#### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so. Contain spilled material if possible.

Absorb with materials such as: Dirt. Sand. Sawdust.

**Methods for Clean-Up**Avoid the generation of dusts during clean-up. Sweep up and shovel into suitable

containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of

the SDS.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal

protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face,

hands, and any exposed skin thoroughly after handling. Do not breathe

dust/fume/gas/mist/vapors/spray. Follow all product label instructions. Use only as directed.

## Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store away

from heat and incompatible materials. Store locked up.

Incompatible Materials Acids. Soft metals.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Tripolyphosphate 7758-29-4	15 mg/m <sup>3</sup>	15 mg/m <sup>3</sup>	-
Caustic Soda 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>
Sodium metasilicate 6834-92-0	2 mg/m <sup>3</sup>	2 mg/m³	-

#### Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Eyewash

stations. Showers.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses as a minimum for protection.

**Skin and Body Protection** Protective gloves. Wear suitable protective clothing to prevent contact with skin.

Respiratory Protection Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation

wear respiratory protection.

General Hygiene Considerations Wash contaminated clothing before reuse. Wash face, hands and any exposed skin

thoroughly after handling. Protective clothing and equipment should be in accordance with

29 CFR 1910.132 and 1910.133.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Solid

**Decomposition Temperature** 

AppearanceWhite powderOdorNot determinedColorWhiteOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Not determined

pH Not determined
Melting Point/Freezing Point Not determined

Boiling Point/Boiling Range > 100 °C / > 212 °F

Flash Point Not applicable **Evaporation Rate** Not available Flammability (Solid, Gas) Liquid-not applicable **Upper Flammability Limits** Not applicable **Lower Flammability Limit** Not applicable **Vapor Pressure** Not available **Vapor Density** Not available **Specific Gravity** Not determined Water Solubility Completely soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined

Kinematic ViscosityNot determinedDynamic ViscosityNot determinedExplosive PropertiesNot an explosiveOxidizing PropertiesNot determined

# 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

# **Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

## **Conditions to Avoid**

Excessive heat.

#### **Incompatible Materials**

Acids. Soft metals.

#### **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Product Information** 

**Eye Contact** Causes severe eye damage.

**Skin Contact** Causes severe skin burns.

**Inhalation** May cause irritation to the mucous membranes and upper respiratory tract.

**Ingestion** May be harmful if swallowed.

## **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Tripolyphosphate 7758-29-4	= 3100 mg/kg (Rat)	> 7940 mg/kg (Rabbit)	-
Soda Ash 497-19-8	= 4090 mg/kg (Rat)	-	-
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Caustic Soda 1310-73-2	-	= 1350 mg/kg ( Rabbit )	-
Sodium metasilicate 6834-92-0	= 600 mg/kg (Rat)	-	-

# Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

#### **Numerical measures of toxicity**

Not determined

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

# Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium Tripolyphosphate		1650: 48 h Leuciscus idus		
7758-29-4		mg/L LC50		
Soda Ash	242: 120 h Nitzschia mg/L	300: 96 h Lepomis		265: 48 h Daphnia magna
497-19-8	EC50	macrochirus mg/L LC50		mg/L EC50
		static 310 - 1220: 96 h		
		Pimephales promelas mg/L		
		LC50 static		
Caustic Soda		45.4: 96 h Oncorhynchus		
1310-73-2		mykiss mg/L LC50 static		
Sodium metasilicate		210: 96 h Brachydanio rerio		216: 96 h Daphnia magna
6834-92-0		mg/L LC50 semi-static 210:		mg/L EC50
		96 h Brachydanio rerio mg/L		
		LC50		

### Persistence/Degradability

Not determined.

#### **Bioaccumulation**

Not determined.

## **Mobility**

Not determined

#### **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

## **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# California Hazardous Waste Status

	Chemical Name	California Hazardous Waste Status
--	---------------	-----------------------------------

Soda Ash 497-19-8	Corrosive
Caustic Soda	Toxic
1310-73-2	Corrosive

# 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances. Based on package size, product may be eligible for

limited quantity exception.

DOT

UN/ID No UN3262

Proper Shipping Name Corrosive solid, basic, inorganic, n.o.s. (Sodium hydroxide)

Hazard Class 8
Packing Group ||

Reportable Quantity (RQ) 1000 lbs for Sodium hydroxide

<u>IATA</u>

UN/ID No UN3262

Proper Shipping Name Corrosive solid, basic, inorganic, n.o.s. (Sodium hydroxide)

Hazard Class 8
Packing Group ||

**IMDG** 

UN/ID No UN3262

Proper Shipping Name Corrosive solid, basic, inorganic, n.o.s. (Sodium hydroxide)

Hazard Class 8
Packing Group || |

# 15. REGULATORY INFORMATION

#### International Inventories

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# US Federal Regulations

# **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name Hazardous Substances RQs CERCLA/SARA RQ Reportable Quantity (RQ)				
	Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)

Caustic Soda	1000 lb	RQ 1000 lb final RQ
1310-73-2		RQ 454 kg final RQ

#### **SARA 313**

Not determined

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Caustic Soda	1000 lb			X

#### **US State Regulations**

# California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium Tripolyphosphate 7758-29-4		X	X
Caustic Soda 1310-73-2	X	X	X

# **16. OTHER INFORMATION**

NFPAHealth Hazards<br/>Not determinedFlammability<br/>Not determinedInstability<br/>Not determinedSpecial Hazards<br/>Not determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection<br/>Not determined200Not determined

 Issue Date:
 04-Sep-2014

 Revision Date:
 13-Jul-2017

Revision Note: Information in Section 15

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**