

Safety Data Sheet

Issue Date: 06-Sep-2017

Revision Date: 23-Oct-2018

Version 3

1. IDENTIFICATION

Product Identifier

Product Name DYNASHINE-LOW BLUE & RED & YELLOW

Other means of identification

Product Code DYNASHINE-LOW BLUE 62115, BE615
DYNASHINE-LOW RED 62015, BE625
DYNASHINE-LOW YELLOW 62215, BE645

UN/ID No UN1760

Recommended use of the chemical and restrictions on use

Recommended Use Automotive care.

Details of the supplier of the safety data sheet

Supplier Address

Diamond Shine, Inc
1340 E. 289th St
Wickliffe, OH 44092

Emergency Telephone Number

Company Phone Number 800-843-7627
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Blue or Red or Yellow liquid

Physical State Liquid

Classification

| | |
|-----------------------------------|---------------------------|
| Skin corrosion/irritation | Category 1 Sub-category B |
| Serious eye damage/eye irritation | Category 1 |

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Do not induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|---------------------------------|------------|----------|
| Dodecyl benzene sulfonic acid | 27176-87-0 | 10-25 |
| Phosphoric Acid | 7664-38-2 | 5-15 |
| Ethylene Glycol Monobutyl Ether | 111-76-2 | <6 |

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures**Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.

Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation persists, call a physician.

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician. Artificial respiration and/or oxygen may be necessary.

Ingestion

IF SWALLOWED: call a poison control center or physician immediately. If conscious give 2 glasses of water to dilute. Never give anything by mouth to an unconscious person. Do not induce vomiting.

Most important symptoms and effects

Symptoms Causes severe skin burns and eye damage. Headache. Dizziness. Nausea.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Water spray (fog). Foam. Dry chemical. Sand/earth.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Material is corrosive. The product is not expected to present any fire or explosion hazards under prescribed use conditions.

Hazardous Combustion Products Phosphorus oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Personal Precautions Use personal protective equipment as required.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Contain spilled material if possible. Absorb with materials such as: Dirt. Sand. Sawdust.

Methods for Clean-Up Transfer liquid and solid material into suitable containers in accordance with local, state and federal regulations for disposal.

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Follow all product label instructions. Use only as directed.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up. Store away from heat and incompatible materials.

Incompatible Materials Store away from oxidizing agents/reducing agents. Sulfides. sulfites.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---|---|--|---|
| Phosphoric Acid 7664-38-2 | STEL: 3 mg/m ³ TWA: 1 mg/m ³ | TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³ (vacated) STEL: 3 mg/m ³ | IDLH: 1000 mg/m ³ TWA: 1 mg/m ³ STEL: 3 mg/m ³ |
| Ethylene Glycol Monobutyl Ether 111-76-2 | TWA: 20 ppm | TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S* | IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³ |

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Chemical anti-splash safety goggles.

Skin and Body Protection Protective gloves. Wear suitable protective clothing to prevent contact with skin.

Respiratory Protection Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation wear respiratory protection.

General Hygiene Considerations Wash contaminated clothing before reuse. Wash face, hands and any exposed skin thoroughly after handling. Protective clothing and equipment should be in accordance with 29 CFR 1910.132 and 1910.133.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|-----------------------|------------------------------|-----------------------|----------------|
| Physical State | Liquid | Odor | Not determined |
| Appearance | Blue or Red or Yellow liquid | Odor Threshold | Not determined |
| Color | Blue or Red or Yellow | | |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|------------------------------|-----------------------|---------------------------|
| pH | 0.50-1.50 | |
| Melting Point/Freezing Point | Not determined | |
| Boiling Point/Boiling Range | > 100 °C / > 212 °F | |
| Flash Point | Not applicable | |
| Evaporation Rate | Not available | |
| Flammability (Solid, Gas) | Liquid-not applicable | |
| Upper Flammability Limits | Not applicable | |
| Lower Flammability Limit | Not applicable | |
| Vapor Pressure | Not available | |
| Vapor Density | Not available | |
| Specific Gravity | 1.036-1.042 | @ 25 °C (77 °F) (1=Water) |
| Water Solubility | Completely soluble | |
| Solubility in other solvents | Not determined | |
| Partition Coefficient | Not determined | |
| Auto-ignition Temperature | Not determined | |
| Decomposition Temperature | Not determined | |
| Kinematic Viscosity | Not determined | |
| Dynamic Viscosity | 40-100 cSt | |
| Explosive Properties | Not an explosive | |
| Oxidizing Properties | Not determined | |

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Not expected to occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Store away from oxidizing agents/reducing agents. Sulfides. sulfites.

Hazardous Decomposition Products

Phosphorous oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

| | |
|---------------------|----------------------------------|
| Eye Contact | Causes severe eye damage. |
| Skin Contact | Causes severe skin burns. |
| Inhalation | Avoid breathing vapors or mists. |
| Ingestion | May be harmful if swallowed. |

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|----------------------|---|---|
| Water 7732-18-5 | > 90 mL/kg (Rat) | - | - |
| Dodecyl benzene sulfonic acid 27176-87-0 | = 500 mg/kg (Rat) | - | - |
| Phosphoric Acid 7664-38-2 | = 1530 mg/kg (Rat) | = 2730 mg/kg (Rabbit) | > 850 mg/m ³ (Rat) 1 h |
| Ethylene Glycol Monobutyl Ether 111-76-2 | = 470 mg/kg (Rat) | = 2270 mg/kg (Rat) = 220 mg/kg (Rabbit) | = 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h |

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Carcinogenicity**

The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested. Group 3 IARC components are "not classifiable as human carcinogens".

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|---|-------|---------|-----|------|
| Ethylene Glycol Monobutyl Ether 111-76-2 | A3 | Group 3 | | |

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Component Information

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---|--|--|----------------------------|---|
| Dodecyl benzene sulfonic acid 27176-87-0 | 29: 96 h Pseudokirchneriella subcapitata mg/L EC50 | 10.8: 96 h Oncorhynchus mykiss mg/L LC50 static 3.5 - 10: 96 h Brachydanio rerio mg/L LC50 static | | 5.88: 48 h Daphnia magna mg/L EC50 |
| Ethylene Glycol Monobutyl Ether 111-76-2 | | 1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50 | | 1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 |

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

| Chemical Name | Partition Coefficient |
|---|-----------------------|
| Ethylene Glycol Monobutyl Ether 111-76-2 | 0.81 |

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

| Chemical Name | California Hazardous Waste Status |
|------------------------------|-----------------------------------|
| Phosphoric Acid 7664-38-2 | Corrosive |

14. TRANSPORT INFORMATION**Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. Based on package size, product may be eligible for limited quantity exception.

DOT

UN/ID No UN1760
 Proper Shipping Name Corrosive liquid, n.o.s. (Phosphoric acid, Dodecylbenzene sulfonic acid)
 Hazard Class 8
 Packing Group II

IATA

UN/ID No UN1760
 Proper Shipping Name Corrosive liquid, n.o.s. (Phosphoric acid, Dodecylbenzene sulfonic acid)
 Hazard Class 8
 Packing Group II

IMDG

UN/ID No UN1760
 Proper Shipping Name Corrosive liquid, n.o.s. (Phosphoric acid, Dodecylbenzene sulfonic acid)
 Hazard Class 8
 Packing Group II
 Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION**International Inventories**

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---|--------------------------|----------------|--|
| Dodecyl benzene sulfonic acid 27176-87-0 | 1000 lb | | RQ 1000 lb final RQ RQ 454 kg final RQ |
| Phosphoric Acid 7664-38-2 | 5000 lb | | RQ 5000 lb final RQ RQ 2270 kg final RQ |

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|--|----------|----------|-------------------------------|
| Ethylene Glycol Monobutyl Ether - 111-76-2 | 111-76-2 | <5 | 1.0 |

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Component | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---|-----------------------------|------------------------|---------------------------|----------------------------|
| Dodecyl benzene sulfonic acid 27176-87-0 (15-25) | 1000 lb | | | X |
| Phosphoric Acid 7664-38-2 (5-15) | 5000 lb | | | X |

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---|------------|---------------|--------------|
| Dodecyl benzene sulfonic acid 27176-87-0 | X | X | X |
| Phosphoric Acid 7664-38-2 | X | X | X |
| Ethylene Glycol Monobutyl Ether 111-76-2 | X | X | X |

16. OTHER INFORMATION**NEPA****Health Hazards**

Not determined

Flammability

Not determined

Instability

Not determined

Special Hazards

Not determined

HMIS**Health Hazards**

2

Flammability

0

Physical Hazards

0

Personal Protection

Not determined

Issue Date:

06-Sep-2017

Revision Date:

23-Oct-2018

Revision Note:

Added Dynashine-Low Yellow

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet