

Safety Data Sheet

Issue Date: 14-Aug-2023

Revision Date: 17-Jan-2025

Version 2

1. IDENTIFICATION

Product identifier

Product Name FoamMaker White Cherry

Other means of identification

SDS # SON-004

Product Code 5G- 30010289, 15G- 30010290, 30G- 30010291, 55G- 30010292

Recommended use of the chemical and restrictions on use

Recommended Use For industrial use.

Details of the supplier of the safety data sheet

Supplier Address

Sonny's CarWash Chemistry
2969 Reward Lane
Dallas, TX 75220
Phone: 800-843-7627

Emergency telephone number

Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Amber liquid

Physical state Liquid

Odor Cherry

Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Signal Word

Danger

Hazard statements

Causes severe skin burns and eye damage



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Alkylbenzenesulfonic Acid	68584-22-5	5-10
Nonylphenol Ethoxylate	127087-87-0	1-5
Benzaldehyde	100-52-7	1-5
Glycol Ether EB	111-76-2	1-5
Sodium Hydroxide	1310-73-2	0.1-1
Sulfonic acids	68439-57-6	0.1-1
Sulfuric Acid	7664-93-9	0.1-1
Alkyl(C10-16) Benzene	68648-87-3	0.1-1

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice	Immediately call a poison center or doctor/physician.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
Skin Contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
Ingestion	Rinse mouth. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms	Causes severe skin burns and eye damage.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Personal Precautions Use personal protective equipment as required.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on Safe Handling Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up.

Incompatible Materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Glycol Ether EB 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³
Sulfuric Acid 7664-93-9	TWA: 0.2 mg/m ³ thoracic particulate matter	TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³	IDLH: 15 mg/m ³ TWA: 1 mg/m ³

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	Odor	Cherry
Appearance	Amber liquid	Odor Threshold	Not determined
Color	Amber		
<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>	
pH	10.0-11.5		
Melting point / freezing point	No data available		
Initial boiling point and boiling range	No data available		
Flash point	No data available		
Evaporation Rate	Not determined		
Flammability (Solid, Gas)	Liquid-Not applicable		
Flammability Limit in Air			
Upper flammability or explosive limits	No data available		
Lower flammability or explosive limits	No data available		
Vapor Pressure	Not determined		
Vapor Density	No data available		
Relative Density	1.026		
Water Solubility	Not determined		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Autoignition temperature	No data available		
Hyphen	Not determined		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Kinematic viscosity	Not determined	
Dynamic Viscosity	27.5 cP	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin.
Inhalation	Do not inhale.
Ingestion	Do not ingest.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Alkylbenzenesulfonic Acid 68584-22-5	= 775 mg/kg (Rat)	= 2000 mg/kg (Rabbit)	-
Sodium xylenesulfonate 1300-72-7	= 1000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Nonylphenol Ethoxylate 127087-87-0	= 1310 mg/kg (Rat)	-	-
Benzaldehyde 100-52-7	= 1292 mg/kg (Rat)	> 1250 mg/kg (Rabbit)	-
Glycol Ether EB 111-76-2	= 470 mg/kg (Rat)	= 435 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h = 486 ppm (Rat) 4 h
Sodium Hydroxide 1310-73-2	= 325 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	-
Tetrasodium EDTA 64-02-8	= 1658 mg/kg (Rat)	-	-
Sulfonic acids 68439-57-6	= 2220 mg/kg (Rat)	> 740 mg/kg (Rabbit)	> 52 mg/L (Rat) 4 h

Alkyl(C10-16) Benzene 68648-87-3	> 5000 mg/kg (Rat)	> 10200 mg/kg (Rabbit)	-
Sulfuric Acid 7664-93-9	= 2140 mg/kg (Rat)	-	= 0.375 mg/L (Rat) 4 h
Sodium sulfate 7757-82-6	> 10000 mg/kg (Rat)	-	> 2.4 mg/L (Rat) 4 h
Vanillin 121-33-5	= 1580 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	-
Cinnamaldehyde 104-55-2	= 2220 mg/kg (Rat)	= 1260 mg/kg (Rabbit)	-
Trisodium Nitrilotriacetate 5064-31-3	= 1100 mg/kg (Rat)	-	> 5 mg/L (Rat) 4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes severe skin burns.

Serious eye damage/eye irritation Causes severe eye damage.

Carcinogenicity Nitrate or nitrite ingested under conditions that result in endogenous nitrosation are considered carcinogens. IARC has classified "strong inorganic acid mist containing sulfuric acid" as a Category 1 carcinogen, substance that is carcinogenic to humans. This classification does not apply to liquid forms of sulfuric acid. Inorganic mist is not generated under normal use of this product. Group 3 IARC components are "not classifiable as human carcinogens".

Chemical name	ACGIH	IARC	NTP	OSHA
Glycol Ether EB 111-76-2	A3	Group 3		
Sulfuric Acid 7664-93-9	A2	Group 1	Known	X
Trisodium Nitrilotriacetate 5064-31-3		Group 2B		X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 7,645.20 mg/kg
Dermal LD50 16,310.30 mg/kg
ATEmix (inhalation-dust/mist) 34.20 mg/l
ATEmix (inhalation-vapor) 207.80 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Alkylbenzenesulfonic Acid 68584-22-5		LC50: =3mg/L (96h, Oncorhynchus mykiss)	EC50: =2.9mg/L (48h, Daphnia magna)
Benzaldehyde 100-52-7		LC50: 10.6 - 11.8mg/L (96h, Oncorhynchus mykiss) LC50: =12.69mg/L (96h, Oncorhynchus mykiss) LC50: 0.8 - 1.44mg/L (96h, Lepomis macrochirus) LC50: 6.8 - 8.53mg/L (96h, Pimephales promelas) LC50: =7.5mg/L (96h, Lepomis macrochirus)	
Glycol Ether EB 111-76-2		LC50: =1490mg/L (96h, Lepomis macrochirus) LC50: =2950mg/L (96h, Lepomis macrochirus)	EC50: >1000mg/L (48h, Daphnia magna)
Sodium Hydroxide 1310-73-2		LC50: =45.4mg/L (96h, Oncorhynchus mykiss)	
Tetrasodium EDTA 64-02-8		LC50: =41mg/L (96h, Lepomis macrochirus) LC50: =59.8mg/L (96h, Pimephales promelas)	
Sulfonic acids 68439-57-6		LC50: 1.0 - 10.0mg/L (96h, Brachydanio rerio) LC50: =12.2mg/L (96h, Brachydanio rerio)	
Alkyl(C10-16) Benzene 68648-87-3	EC50: >1000mg/L (96h, Pseudokirchneriella subcapitata)	LC50: >1000mg/L (96h, Oncorhynchus mykiss)	EC50: =0.009mg/L (48h, Daphnia magna)
Sulfuric Acid 7664-93-9		LC50: >500mg/L (96h, Brachydanio rerio)	
Sodium sulfate 7757-82-6		LC50: 13500 - 14500mg/L (96h, Pimephales promelas) LC50: >6800mg/L (96h, Pimephales promelas) LC50: 3040 - 4380mg/L (96h, Lepomis macrochirus) LC50: =13500mg/L (96h, Lepomis macrochirus)	EC50: =2564mg/L (48h, Daphnia magna)
Vanillin 121-33-5		LC50: 53 - 61.3mg/L (96h, Pimephales promelas) LC50: =88mg/L (96h, Pimephales promelas) LC50: =57mg/L (96h, Pimephales promelas)	
Trisodium Nitrotriacetate 5064-31-3		LC50: 93 - 170mg/L (96h, Pimephales promelas) LC50: 175 - 225mg/L (96h, Lepomis macrochirus) LC50: =252mg/L (96h, Lepomis macrochirus) LC50: =470mg/L (96h, Pimephales promelas) LC50: 560 - 1000mg/L (96h, Oryzias latipes) LC50: 72 - 133mg/L (96h, Oncorhynchus mykiss) LC50: 560 - 1000mg/L (96h, Poecilia reticulata)	LC50: 560 - 1000mg/L (48h, Daphnia magna)

		LC50: =114mg/L (96h, Pimephales promelas)	
--	--	---	--

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient
Alkylbenzenesulfonic Acid 68584-22-5	2
Nonylphenol Ethoxylate 127087-87-0	5.669
Benzaldehyde 100-52-7	1.4
Glycol Ether EB 111-76-2	0.81
Sulfonic acids 68439-57-6	-1.3

Other adverse effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Sodium Hydroxide 1310-73-2	Toxic Corrosive
Sulfuric Acid 7664-93-9	Toxic Corrosive

14. TRANSPORT INFORMATION**Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

Not regulated

IATA

Not regulated

IMDG**Marine Pollutant**

This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELINCS	ENCS	IECSC	KECL	PICCS	AIC
Alkylbenzenesulfonic Acid	X	ACTIVE	X	X	X	X	X	X	X
Sodium xylenesulfonate	X	ACTIVE	X	X	X	X	X	X	X
Nonylphenol Ethoxylate	X	ACTIVE	X	X	X	X	X	X	X
Benzaldehyde	X	ACTIVE	X	X	X	X	X	X	X
Glycol Ether EB	X	ACTIVE	X	X	X	X	X	X	X
Sodium Hydroxide	X	ACTIVE	X	X	X	X	X	X	X
Tetrasodium EDTA	X	ACTIVE	X	X	X	X	X	X	X
Sulfonic acids	X	ACTIVE	X	X		X	X	X	X
Alkyl(C10-16) Benzene	X	ACTIVE	X	X		X	X	X	X
Sulfuric Acid	X	ACTIVE	X	X	X	X	X	X	X
Sodium sulfate	X	ACTIVE	X	X	X	X	X	X	X
Vanillin	X	ACTIVE	X	X	X	X	X	X	X
Cinnamaldehyde	X	ACTIVE	X	X	X	X	X	X	X
Trisodium Nitrotriacetate	X	ACTIVE	X	X	X	X	X	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
Sulfuric Acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

SARA 313

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Nonylphenol Ethoxylate - 127087-87-0	127087-87-0	1-5	1.0
Glycol Ether EB - 111-76-2	111-76-2	1-5	1.0
Sulfuric Acid - 7664-93-9	7664-93-9	0.1-1	1.0

CWA (Clean Water Act)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Hydroxide	1000 lb			X
Sulfuric Acid	1000 lb			X

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Sulfuric Acid - 7664-93-9	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Benzaldehyde 100-52-7	X	X	X
Glycol Ether EB 111-76-2	X	X	X
Sodium Hydroxide 1310-73-2	X	X	X
Sulfuric Acid 7664-93-9	X	X	X
Sodium sulfate 7757-82-6		X	X
Trisodium Nitrilotriacetate 5064-31-3		X	

16. OTHER INFORMATION

<u>NFPA</u>	Health hazards	Flammability	Instability	Special hazards
	-	-	-	-
<u>HMIS</u>	Health hazards	Flammability	Physical hazards	Personal Protection
	-	-	-	Not determined

Issue Date: 14-Aug-2023
Revision Date: 17-Jan-2025
Revision Note: Revision to Section 1

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet