Safety Data Sheet

Issue Date: 22-May-2023 Revision Date: 02-July-2024 Version 2

1. IDENTIFICATION

Product Identifier

Product Name PEAK PERFORMANCE HI pH

Other means of identification

SDS#

Product Code 30010894, 30010900, 30010916

UN/ID No UN3266

Recommended use of the chemical and restrictions on use

Recommended Use Automotive Cleaner

Details of the supplier of the safety data sheet

Supplier AddressDiamond Shine, Inc

9050 Tyler Blvd. Mentor, OH 44060

Emergency Telephone Number

Company Phone Number 800-843-7627

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Straw colored liquid Physical State Liquid

Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage May cause respiratory irritation. May cause drowsiness or dizziness



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Immediately call a poison center or doctor/physician

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects

Unknown Acute Toxicity

4% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Monoethanolamine	141-43-5	5-10
Ethylene Glycol Monobutyl Ether	111-76-2	5-10
Caustic Soda	1310-73-2	5-10
Ethyl Alcohol	64-17-5	<1
Tetrasodium EDTA	64-02-8	5-10
Sodium dodecylbenzene sulphonate	4719-04-4	10-15
Sodium laureth sulfate	9004-82-4	1-5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

poison center or doctor/physician.

Skin Contact IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse. If irritation persists, call a physician.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a poison center or doctor/physician. Artificial respiration and/or

oxygen may be necessary.

Page 2/9

IF SWALLOWED: call a poison control center or physician immediately. If conscious give 2 glasses of water to dilute. Never give anything by mouth to an unconscious person. Do not

induce vomiting.

Most important symptoms and effects

Ingestion

Symptoms Causes severe skin burns and eye damage. Headache. Nausea. Inhalation may cause

drowsiness or dizziness. May cause respiratory irritation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical. Sand/earth.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Material is corrosive. The product is not expected to present any fire or explosion hazards under prescribed use conditions.

Hazardous Combustion Products None known.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Contain spilled material if possible.

Absorb with materials such as: Dirt. Sand. Sawdust.

Methods for Clean-Up

Transfer liquid and solid material into suitable containers in accordance with local, state and

federal regulations for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal

protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Follow all product label instructions. Use only as directed. Use

only outdoors or in a well-ventilated area.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked

up. Store away from heat and incompatible materials.

Incompatible Materials Acids. Soft metals. Store away from oxidizing agents/reducing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Monoethanolamine	STEL: 6 ppm	TWA: 3 ppm	IDLH: 30 ppm
141-43-5	TWA: 3 ppm	TWA: 6 mg/m ³	TWA: 3 ppm
		(vacated) TWA: 3 ppm	TWA: 8 mg/m ³
		(vacated) TWA: 8 mg/m ³	STEL: 6 ppm
		(vacated) STEL: 6 ppm	STEL: 15 mg/m ³
		(vacated) STEL: 15 mg/m ³	-
Ethylene Glycol Monobutyl Ether	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m ³	-
		(vacated) S*	
		` S* [']	
Caustic Soda	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³
1310-73-2	-	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Eyewash

stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Chemical anti-splash safety goggles.

Skin and Body Protection Protective gloves. Wear suitable protective clothing to prevent contact with skin.

Respiratory Protection Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation

wear respiratory protection.

General Hygiene Considerations Wash contaminated clothing before reuse. Wash face, hands and any exposed skin

thoroughly after handling. Protective clothing and equipment should be in accordance with

29 CFR 1910.132 and 1910.133.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

AppearanceClear, straw colored liquidOdorNot determinedColorStrawOdor ThresholdNot determined

Property Values Remarks • Method

pH

Melting Point/Freezing Point

Boiling Point/Boiling Range
Flash Point

Evaporation Rate
Flammability (Solid, Gas)

13.0-14.0

Not determined
> 100 °C / > 212 °F

Not applicable

Not available

Liquid-not applicable

Upper Flammability (Solid, Gas)

Liquid-not applicable

Not applicable

Lower Flammability LimitNot applicableVapor PressureNot availableVapor DensityNot available

Specific Gravity 1.140

Water Solubility Completely soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not an explosive **Oxidizing Properties** Not determined

@ 25 °C (77 °F) (1=Water)

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Excessive heat.

Incompatible Materials

Acids. Soft metals. Store away from oxidizing agents/reducing agents.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes severe eye damage.

Skin Contact Causes severe skin burns.

Inhalation Avoid breathing vapors or mists.

Ingestion May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Monoethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1 mL/kg (Rabbit) = 1025 mg/kg (Rabbit)	-
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg (Rabbit)	= 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h
Caustic Soda 1310-73-2	-	= 1350 mg/kg (Rabbit)	-
Tetrasodium EDTA 64-02-8	= 10 g/kg (Rat)	-	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

However, the product as a whole has not been tested. Group 3 IARC components are "not

classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene Glycol Monobutyl	A3	Group 3		
Ether				
111-76-2				

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

Numerical measures of toxicity

Not determined

Unknown Acute Toxicity 9% of the mixture consists of ingredient(s) of unknown toxicity.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Monoethanolamine 141-43-5	15: 72 h Desmodesmus subspicatus mg/L EC50	227: 96 h Pimephales promelas mg/L LC50 flow-through 3684: 96 h Brachydanio rerio mg/L LC50 static 300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static 200: 96 h Oncorhynchus mykiss mg/L LC50 flow-through		65: 48 h Daphnia magna mg/L EC50
Ethylene Glycol Monobutyl Ether 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50

Ī	Caustic Soda		45.4: 96 h Oncorhynchus	
	1310-73-2		mykiss mg/L LC50 static	
	Tetrasodium EDTA	1.01: 72 h Desmodesmus	41: 96 h Lepomis	610: 24 h Daphnia magna
	64-02-8	subspicatus mg/L EC50	macrochirus mg/L LC50	mg/L EC50
			static 59.8: 96 h Pimephales	
			promelas mg/L LC50 static	

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Monoethanolamine	-1.91
141-43-5	
Ethylene Glycol Monobutyl Ether	0.81
111-76-2	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of WastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Caustic Soda	Toxic
1310-73-2	Corrosive

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances. Based on package size, product may be eligible for

limited quantity exception.

DOT

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide, monoethanolamine)

Hazard Class 8
Packing Group ||

IATA

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide, monoethanolamine)

Hazard Class 8
Packing Group || |

IMDG

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide, monoethanolamine)

Hazard Class 8
Packing Group | |

Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Caustic Soda	1000 lb		RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

of electricals which are subject to the reporting requirements of the fiet and this 40 of the Gode of Federal Regulations, if are				
Chemical Name	CAS No	Weight-%	SARA 313 - Threshold	
			Values %	
Ethylene Glycol Monobutyl Ether - 111-76-2	111-76-2	5-10	1.0	

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Caustic Soda 1310-73-2 (<5)	1000 lb			X

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65	
Diethanolamine 111-42-2	Carcinogen	
1,4 dioxane 111—91-1	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Monoethanolamine 141-43-5	Х	X	X
Ethylene Glycol Monobutyl Ether 111-76-2	X	X	X
Caustic Soda 1310-73-2	X	X	X

16. OTHER INFORMATION

NFPA Health Hazards Flammability Instability **Special Hazards** Not determined Not determined Not determined Not determined **HMIS Health Hazards Flammability Physical Hazards Personal Protection** 0 Not determined

 Issue Date:
 22-May-2023

 Revision Date:
 02-July-2024

Revision Note: Information in Section 15

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet