Safety Data Sheet

Issue Date: 22-May-2023 Revision Date: Version 1

1. IDENTIFICATION

Product Identifier

Product Name Peak Performance Low pH

Other means of identification

SDS#

Product Code 30010893, 30010896,30010886

UN/ID No UN3264

Recommended use of the chemical and restrictions on use Recommended Use Automotive cleaner.

Details of the supplier of the safety data sheet

Supplier Address Diamond Shine, Inc 9050 Tyler Blvd. Mentor, OH 44060

Emergency Telephone Number

Company Phone Number 800-843-7627

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Straw colored liquid Physical State Liquid

Classification

Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Acute toxicity (Oral)	Category 4

Signal Word Danger

Hazard Statements

Harmful if swallowed Causes severe skin burns and eye damage





Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician IF SWALLOWED: rinse mouth. Do NOT induce vomiting Immediately call a poison center or doctor/physician

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Phosphoric Acid	7664-38-2	>= 10 - < 20
2-butoxyethanol	111-76-2	>= 10 - < 20
Sulfuric acid	7664-93-9	>= 10 - < 20
Alcohols, C10-14, ethoxylated	66455-15-0	>= 5 - < 10
Benzenesulfonic acid, C10-16-alkyl derivs.	68584-22-5	>= 5 - < 10

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

poison center or doctor/physician.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse. If skin irritation persists, call

a physician.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a poison center or doctor/physician. Artificial respiration and/or

oxygen may be necessary.

Ingestion IF SWALLOWED: call a poison control center or physician immediately. If conscious give 2

glasses of water to dilute. Never give anything by mouth to an unconscious person. Do not

induce vomiting.

Most important symptoms and effects

Symptoms Causes severe skin burns and eye damage. Headache. Dizziness. Nausea.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical. Sand/earth.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Material is corrosive. The product is not expected to present any fire or explosion hazards under prescribed use conditions.

Hazardous Combustion Products Carbon dioxide (CO2)

Carbon monoxide

Smoke

Phosphorus compounds

Sulphur oxides

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Contain spilled material if possible.

Absorb with materials such as: Dirt. Sand. Sawdust.

Methods for Clean-Up Transfer liquid and solid material into suitable containers in accordance with local, state and

federal regulations for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal

protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Follow all product label instructions. Use only as directed.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked

up. Store away from heat and incompatible materials.

Incompatible Materials Strong bases. Soft metals. Oxidizing agents. Reducing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH

Phosphoric Acid 7664-38-2	STEL: 3 mg/m ³ TWA: 1 mg/m ³	TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³ (vacated) STEL: 3 mg/m ³	IDLH: 1000 mg/m³ TWA: 1 mg/m³ STEL: 3 mg/m³
2-butoxyethanol 111-76-2	TWA 20 ppm	50 ppm 240 mg/m3 25 ppm 120 mg/m3	5 ppm 24 mg/m3
Sulfuric acid 7664-93-9	TWA (thoracic fraction): 0.2 mg/m3	1 mg/ m3	1 mg/m3

Appropriate engineering controls

Engineering ControlsApply technical measures to comply with the occupational exposure limits. Eyewash

stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Chemical anti-splash safety goggles.

Skin and Body Protection Protective gloves. Wear suitable protective clothing to prevent contact with skin.

Respiratory Protection Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation

wear respiratory protection.

General Hygiene Considerations Wash contaminated clothing before reuse. Wash face, hands and any exposed skin

thoroughly after handling. Protective clothing and equipment should be in accordance with

29 CFR 1910.132 and 1910.133.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

AppearanceClear liquidOdorMild

ColorClearOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH < 1

Melting Point/Freezing PointNot determinedBoiling Point/Boiling Range> 100 °C / > 212 °FFlash PointNot applicableEvaporation RateNot availableFlammability (Solid, Gas)Liquid-not applicable

Upper Flammability Limits
Lower Flammability Limit
Vapor Pressure
Vapor Density
Not available
Not available
Not available
Not available

Specific Gravity 1.167 @ 25 °C (77 °F) (1=Water)

Water Solubility Completely soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not an explosive **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Not expected to occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Strong bases. Soft metals. Oxidizing agents. Reducing agents.

Hazardous Decomposition Products

Carbon Oxides. Sulfur Oxides. Phosphorous oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes severe eye damage.

Skin Contact Causes severe skin burns.

Inhalation Avoid breathing vapors or mists.

Ingestion May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
7732-18-5			
Phosphoric Acid	= 1530 mg/kg (Rat)	= 2730 mg/kg (Rabbit)	> 850 mg/m ³ (Rat) 1 h
7664-38-2			
Alcohol Ethoxylate	= 1378 mg/kg (Rat)	> 2 g/kg (Rabbit)	-
68439-46-3			

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Phosphoric Acid	Corrosive
7664-38-2	

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances. Based on package size, product may be eligible for

limited quantity exception.

DOT

UN/ID No UN3264

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric acid, Phosphoric Acid)

Hazard Class 8
Packing Group III

<u>IATA</u>

UN/ID No UN3264

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric acid, Phosphoric acid)

Hazard Class 8
Packing Group III

IMDG

UN/ID No UN3264

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric acid, Phosphoric acid)

Hazard Class 8
Packing Group III

15. REGULATORY INFORMATION

International Inventories

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Phosphoric Acid	5000 lb		RQ 5000 lb final RQ
7664-38-2			RQ 2270 kg final RQ

SARA 304

	Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Г	Sulfuric acid	1000 lb		RQ 5000 lb final RQ
	7664-93-9			RQ 2270 kg final RQ

SARA 311/312 Hazards: Acute Health Hazard

SARA 302:

The following components are subject to reporting levels established by SARA Title III, Section 302: Sulfuric acid 7664-93-9 10%

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phosphoric Acid 7664-38-2 (30-40)	5000 lb			Х

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Ethylene Oxide (< 1ppm) 75-21-8	Cancer – Birth Defects
1,4-Dioxane (< 10ppm) 123-91-1	Reproductive Harm

.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Phosphoric Acid 7664-38-2	X	Х	X

16. OTHER INFORMATION

Health Hazards Special Hazards NFPA Flammability Instability Not determined Not determined Not determined Not determined **HMIS Health Hazards Flammability Physical Hazards Personal Protection** Not determined 3

Issue Date: 22-May-2023

Revision Date:

Revision Note: New

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page 10/10