Safety Data Sheet

Issue Date: 15-Aug-2023 Revision Date: 17-Jan-2025 Version 2

1. IDENTIFICATION

Product identifier

Product Name Tunnel Pro Mitter Lube #185

Other means of identification

SDS # SON-005

Product Code 5G- 30010212, 15G- 30010213, 30G- 30010214, 55G- 30010215

Recommended use of the chemical and restrictions on use

Recommended Use For industrial use.

Details of the supplier of the safety data sheet

Supplier Address

Sonny's CarWash Chemistry 2969 Reward Lane Dallas, TX 75220

Phone: 800-843-7627

Emergency telephone number

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

AppearancePurple liquidPhysical stateLiquidOdorChemical odor

Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Signal Word

Danger

Hazard statements

Causes severe skin burns and eye damage



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection **Precautionary Statements - Response**

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

Revision Date: 17-Jan-2025

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Sulfonic acids	68439-57-6	15-20
Alkylbenzenesulfonic Acid	68584-22-5	5-10
Phosphoric Acid	7664-38-2	1-5
Sodium Hydroxide	1310-73-2	0.1-1
Sulfuric Acid	7664-93-9	0.1-1
Alkyl(C10-16) Benzene	68648-87-3	0.1-1

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

Description of first aid measures

General Advice Immediately call a poison center or doctor/physician.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.

Skin Contact Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a poison center or doctor/physician.

Ingestion Rinse mouth. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms May be harmful if swallowed. May be harmful in contact with skin. Causes severe skin

burns and eye damage.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

D---- 0.10

5. FIRE-FIGHTING MEASURES

Revision Date: 17-Jan-2025

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin

thoroughly after handling. Wear protective gloves/protective clothing and eye/face

protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up.

Incompatible Materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Phosphoric Acid 7664-38-2	STEL: 3 mg/m³ TWA: 1 mg/m³	TWA: 1 mg/m³ (vacated) TWA: 1 mg/m³ (vacated) STEL: 3 mg/m³	IDLH: 1000 mg/m³ TWA: 1 mg/m³ STEL: 3 mg/m³
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m³ Ceiling: 2 mg/m³
Sulfuric Acid 7664-93-9	TWA: 0.2 mg/m³ thoracic particulate matter	TWA: 1 mg/m³ (vacated) TWA: 1 mg/m³	IDLH: 15 mg/m ³ TWA: 1 mg/m ³

D---- 0.10

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Revision Date: 17-Jan-2025

Individual protection measures, such as personal protective equipment

Eye/Face Protection Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical stateLiquidAppearancePurple liquidOdorChemical odorColorPurpleOdor ThresholdNot determined

Property Values Remarks • Method

pH 1.50-2.50

Melting point / freezing pointNo data availableInitial boiling point and boilingNo data available

range

Flash point

Evaporation Rate
Flammability (Solid, Gas)

No data available
Not determined
Liquid-Not applicable

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor Pressure Not determined Vapor Density No data available

Relative Density 1.039

Water Solubility Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition temperature** No data available Hyphen Not determined Kinematic viscosity Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Page 4/9

Conditions to Avoid

Keep out of reach of children.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact May be harmful in contact with skin.

Inhalation Do not inhale.

Ingestion May be harmful if swallowed.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sulfonic acids 68439-57-6	= 2220 mg/kg (Rat)	> 740 mg/kg (Rabbit)	> 52 mg/L (Rat)4 h
Alkylbenzenesulfonic Acid 68584-22-5	= 775 mg/kg(Rat)	= 2000 mg/kg(Rabbit)	-
Phosphoric Acid 7664-38-2	= 1530 mg/kg (Rat)	= 2740 mg/kg(Rabbit)	> 850 mg/m³(Rat)1 h
Sodium Hydroxide 1310-73-2	= 325 mg/kg(Rat)	= 1350 mg/kg(Rabbit)	-
Sulfuric Acid 7664-93-9	= 2140 mg/kg (Rat)	-	= 0.375 mg/L (Rat) 4 h
Alkyl(C10-16) Benzene 68648-87-3	> 5000 mg/kg (Rat)	> 10200 mg/kg(Rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes severe skin burns.

Serious eye damage/eye

irritation

Causes severe eye damage.

Carcinogenicity IARC has classified "strong inorganic acid mist containing sulfuric acid" as a Category 1

carcinogen, substance that is carcinogenic to humans. This classification does not apply to liquid forms of sulfuric acid. Inorganic mist is not generated under normal use of this

product.

Chemical name	ACGIH	IARC	NTP	OSHA
Sulfuric Acid 7664-93-9	A2	Group 1	Known	Х

Page 5/9

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 2,319.70 mg/kg **Dermal LD50** 3,918.80 mg/kg 10.70 mg/l ATEmix (inhalation-dust/mist)

12. ECOLOGICAL INFORMATION

Revision Date: 17-Jan-2025

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Sulfonic acids		LC50: 1.0 - 10.0mg/L (96h,	
68439-57-6		Brachydanio rerio)	
		LC50: =12.2mg/L (96h, Brachydanio	
		rerio)	
Alkylbenzenesulfonic Acid		LC50: =3mg/L (96h, Oncorhynchus	EC50: =2.9mg/L (48h, Daphnia
68584-22-5		mykiss)	magna)
Sodium Hydroxide		LC50: =45.4mg/L (96h,	
1310-73-2		Oncorhynchus mykiss)	
Sulfuric Acid		LC50: >500mg/L (96h, Brachydanio	
7664-93-9		rerio)	
Alkyl(C10-16) Benzene	EC50: >1000mg/L (96h,	LC50: >1000mg/L (96h,	EC50: =0.009mg/L (48h, Daphnia
68648-87-3	Pseudokirchneriella subcapitata)	Oncorhynchus mykiss)	magna)

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient
Sulfonic acids	-1.3
68439-57-6	
Alkylbenzenesulfonic Acid	2
68584-22-5	
Phosphoric Acid	-0.9
7664-38-2	

Other adverse effects

Not determined

13. DISPOSAL CONSIDERATIONS

Revision Date: 17-Jan-2025

Waste Treatment Methods

Disposal of WastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Phosphoric Acid 7664-38-2	Corrosive
Sodium Hydroxide	Toxic
1310-73-2	Corrosive
Sulfuric Acid	Toxic
7664-93-9	Corrosive

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG

Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory	DSL/NDSL	EINECS/ELI	ENCS	IECSC	KECL	PICCS	AIIC
		Status		NCS					
Sulfonic acids	Χ	ACTIVE	Х	X		Х	Х	Х	Х
Alkylbenzenesulfonic Acid	Х	ACTIVE	Х	X	Х	Х	Χ	Х	X
Phosphoric Acid	Χ	ACTIVE	X	X	X	X	X	X	X
Sodium Hydroxide	Х	ACTIVE	Х	X	Х	Х	Χ	Х	Х
Sulfuric Acid	Χ	ACTIVE	X	X	X	X	X	X	X
Alkyl(C10-16) Benzene	Х	ACTIVE	Х	Х		Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

D---- 7/0

US Federal Regulations

CERCLA

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Phosphoric Acid 7664-38-2	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
Sodium Hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
Sulfuric Acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ

SARA 313
Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phosphoric Acid	5000 lb			Χ
Sodium Hydroxide	1000 lb			Χ
Sulfuric Acid	1000 lb			Х

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Sulfuric Acid - 7664-93-9	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Phosphoric Acid	X	X	X
7664-38-2			
Sodium Hydroxide	X	X	X
1310-73-2			
Sulfuric Acid	X	X	X
7664-93-9			

Page 8/9

16. OTHER INFORMATION

NFPA Health hazards Flammability Instability Special hazards

<u>HMIS</u> Health hazards Flammability Physical hazards Personal Protection

- Not determined

Revision Date: 17-Jan-2025

Issue Date:15-Aug-2023Revision Date:17-Jan-2025Revision Note:Update to Section 1

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page 9/9