# Safety Data Sheet

Issue Date: 05-Jun-2024

Revision Date: 19-Mar-2025

Version 2

## **1. IDENTIFICATION**

Product identifier	
Product Name	24-009 Ultra Bond

Other means of identification SDS #

Recommended use of the chemical and restrictions on useRecommended UseFor industrial use.

SON-041

## Details of the supplier of the safety data sheet

Supplier Address Sonny's Car Wash Chemistry 9050 Tyler Blvd. Mentor, OH 44060 Phone: 800-843-7627

# Emergency telephone number

Emergency Telephone

INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance Straw colored liquid

Physical state Liquid

Odor No appreciable odor

### **Classification**

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 1

#### <u>Signal Word</u> Danger

### Hazard statements

Harmful if inhaled Causes skin irritation Causes serious eye irritation Causes damage to organs

## **Precautionary Statements - Prevention**

Use only outdoors or in a well-ventilated area Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Do not breathe dust/fume/gas/mist/vapors/spray Do not eat, drink or smoke when using this product **Precautionary Statements - Response**  IF exposed: Call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of water and soap

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a poison center or doctor/physician if you feel unwell

## Precautionary Statements - Storage

Store locked up

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No	Weight-%
Glycol Ether EB	111-76-2	15-40
Isopropyl Alcohol	67-63-0	1-5
1-Butoxy-2-propanol	5131-66-8	0.5-1.5
Acetic acid	64-19-7	0.5-1.5
Methanol	67-56-1	0.5-1.5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

General Advice	In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).	
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Skin Contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.	
Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.	
Ingestion	Rinse mouth. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	Causes skin irritation. Causes serious eye irritation. May be harmful if swallowed. May be harmful in contact with skin.	
Indication of any immediate medical attention and special treatment needed		
Notes to Physician	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Not determined.

Hazardous combustion products Smoke, fumes or vapors, and oxides of carbon.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Wear protective clothing as described in Section 8 of this safety data sheet.			
For Emergency Responders	Follow all fire fighting procedures in Section 5.			
Environmental precautions				
Environmental precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 12 for additional Ecological Information.			
Methods and material for containment and cleaning up				
Methods for Containment	Prevent further leakage or spillage if safe to do so. Contain and soak up with inert absorbent material.			
Methods for Clean-Up	Sweep up absorbed material and shovel into suitable containers for disposal. For waste disposal, see section 13 of the SDS.			

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on Safe Handling	Wear protective gloves/protective clothing and eye/face protection. Use only outdoors or in a well-ventilated area. Do not breathe dusts or mists. Wash face, hands and any exposed skin thoroughly after handling. Avoid contact with skin, eyes or clothing.		
Conditions for safe storage, including any incompatibilities			
<b>Storage Conditions</b> Store in a cool, well-ventilated area, away from ignition sources and incompatible materia Keep container tightly closed. Store locked up. Keep only in original container.			
Incompatible Materials	Strong oxidizing agents. Strong bases. Strong acids.		

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

The following information is given as general guidance

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Glycol Ether EB 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>
Acetic acid 64-19-7	STEL: 15 ppm TWA: 10 ppm	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup> (vacated) TWA: 10 ppm (vacated) TWA: 25 mg/m <sup>3</sup>	IDLH: 50 ppm TWA: 10 ppm TWA: 25 mg/m <sup>3</sup> STEL: 15 ppm STEL: 37 mg/m <sup>3</sup>
Methanol 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m <sup>3</sup> (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m <sup>3</sup> (vacated) S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 325 mg/m <sup>3</sup>

#### Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems.

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection	Chemical safety goggles/faceshield. Refer to 29 CFR 1910.133 for eye and face protection regulations.
Skin and Body Protection	Wear chemical resistant gloves and protective clothing. Reference Wiley's "Quick Selection Guide to Chemical Protective Clothing". Refer to 29 CFR 1910.138 for appropriate skin and body protection.
Respiratory Protection	If necessary, wear a MSHA/NIOSH-approved respirator. Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance Color Liquid Straw colored liquid Straw

Odor Odor Threshold No appreciable odor Not determined

<u>Property</u> pH

<u>Values</u> 7.0-9.0 Remarks • Method

Melting point / freezing point Initial boiling point and boiling	No data available No data available
range Flash point	No data available
Evaporation Rate	Not determined
Flammability (Solid, Gas)	Liquid-Not applicable
Flammability Limit in Air	
Upper flammability or explosive	No data available
limits	
Lower flammability or explosive	No data available
limits	
Vapor Pressure	Not determined
Vapor Density	No data available
Relative Density	0.953
Water Solubility	Not determined
Solubility in other solvents	Not determined
Partition Coefficient	Not determined
Autoignition temperature	No data available
Decomposition temperature	Not determined
Kinematic viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties	Not determined
Oxidizing Properties	Not determined

# **10. STABILITY AND REACTIVITY**

#### Reactivity

Not reactive under normal conditions.

# Chemical stability

Stable under recommended storage conditions.

## Possibility of hazardous reactions

None under normal processing.

#### Hazardous Polymerization Will not occur.

<u>Conditions to Avoid</u> Keep out of reach of children.

#### Incompatible materials

Strong oxidizing agents. Strong bases. Strong acids.

## Hazardous decomposition products

Smoke, fumes or vapors, and oxides of carbon.

# **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information	
Eye Contact	Avoid contact with eyes.
Skin Contact	May be harmful in contact with skin.
Inhalation	Harmful if inhaled.

#### Ingestion

May be harmful if swallowed.

# **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Glycol Ether EB 111-76-2	= 470 mg/kg (Rat)	= 435 mg/kg (Rabbit)	= 450 ppm (Rat)4 h = 486 ppm (Rat)4 h
Tallow Alkylamine Ethoxylate 61791-26-2	= 500 mg/kg(Rat)	-	-
Isopropyl Alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	> 10000 ppm (Rat)6 h
1-Butoxy-2-propanol 5131-66-8	= 1900 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Alcohols, C9-11 ethoxylated 68439-46-3	= 1400 mg/kg (Rat)	-	-
Acetic acid 64-19-7	= 3310 mg/kg (Rat)	= 1060 mg/kg (Rabbit)	= 11.4 mg/L (Rat)4 h
Methanol 67-56-1	= 6200 mg/kg(Rat)	= 15840 mg/kg (Rabbit)	= 22500 ppm (Rat)8 h

# Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Please see section 4 of this SDS for symptoms.						
Delayed and immediate effects as	Delayed and immediate effects as well as chronic effects from short and long-term exposure						
Skin corrosion/irritation	Causes skin irritation.						
Serious eye damage/eye irritation	Causes serious eye irritation.						
Carcinogenicity	Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.						
<u>Numerical measures of toxicity</u> The following values are calculated based on chapter 3.1 of the GHS document							

# <u>N</u>T

Oral LD50 >2,000 mg/kg **Dermal LD50** >2,000 mg/kg

#### ATEmix (inhalation-dust/mist) >4 mg/l

# **12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## **Component Information**

Chemical name	Algae/aquatic plants	Fish	Crustacea
Glycol Ether EB		LC50: =1490mg/L (96h, Lepomis	EC50: >1000mg/L (48h, Daphnia
111-76-2		macrochirus)	magna)
		LC50: =2950mg/L (96h, Lepomis	
		macrochirus)	
Isopropyl Alcohol	EC50: >1000mg/L (96h,	LC50: =9640mg/L (96h, Pimephales	EC50: =13299mg/L (48h, Daphnia
67-63-0	Desmodesmus subspicatus)	promelas)	magna)
	EC50: >1000mg/L (72h,	LC50: =11130mg/L (96h,	
	Desmodesmus subspicatus)	Pimephales promelas)	
		LC50: >1400000µg/L (96h, Lepomis	
		macrochirus)	
Acetic acid		LC50: =79mg/L (96h, Pimephales	EC50: =65mg/L (48h, Daphnia
64-19-7		promelas)	magna)
		LC50: =75mg/L (96h, Lepomis	
		macrochirus)	
Methanol		LC50: =28200mg/L (96h,	

67-56-1	Pimephales promelas)
	LC50: >100mg/L (96h, Pimephales
	promelas)
	LC50: 19500 - 20700mg/L (96h,
	Oncorhynchus mykiss)
	LC50: 18 - 20mL/L (96h,
	Oncorhynchus mykiss)
	LC50: 13500 - 17600mg/L (96h,
	Lepomis macrochirus)

## Persistence/Degradability

Not determined.

#### **Bioaccumulation**

There is no data for this product.

#### Mobility

Chemical name	Partition coefficient
Glycol Ether EB	0.81
111-76-2	
Isopropyl Alcohol 67-63-0	0.05
1-Butoxy-2-propanol 5131-66-8	1.2
Acetic acid 64-19-7	-0.17
Methanol 67-56-1	-0.77

# Other adverse effects

Not determined

# **13. DISPOSAL CONSIDERATIONS**

## Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.		
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.		

#### US EPA Waste Number

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	<b>RCRA - U Series Wastes</b>
Methanol		Included in waste stream:		U154
67-56-1		F039		

# California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Isopropyl Alcohol	Toxic
67-63-0	Ignitable
Acetic acid	Toxic
64-19-7	Corrosive
	Ignitable
Methanol	Toxic
67-56-1	Ignitable

# 14. TRANSPORT INFORMATION

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Not regulated
IATA_	Not regulated
IMDG_	Not regulated

# **15. REGULATORY INFORMATION**

#### International Inventories

Chemical name	TSCA	<b>TSCA</b> Inventory	DSL/NDSL	EINECS/ELI	ENCS	IECSC	KECL	PICCS	AIIC
		Status		NCS					
Glycol Ether EB	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Tallow Alkylamine Ethoxylate	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Isopropyl Alcohol	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
1-Butoxy-2-propanol	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Alcohols, C9-11 ethoxylated	Х	ACTIVE	Х		Х	Х	Х	Х	Х
Acetic acid	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Methanol	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Heptamethyltrisiloxane	Х	ACTIVE	Х			Х		Х	Х
Polyether Modified Siloxane	Х	ACTIVE	Х		Х	Х	Х	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### US Federal Regulations

## CERCLA

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Acetic acid	5000 lb		RQ 5000 lb final RQ
64-19-7			RQ 2270 kg final RQ
Methanol	5000 lb		RQ 5000 lb final RQ
67-56-1			RQ 2270 kg final RQ

#### SARA 313

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Glycol Ether EB - 111-76-2	111-76-2	7-13	1.0
Methanol - 67-56-1	67-56-1	0.5-1.5	1.0
Isopropyl Alcohol - 67-63-0	67-63-0	0.1-1	1.0

#### CWA (Clean Water Act)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Acetic acid	5000 lb			Х

### US State Regulations

## **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Methanol - 67-56-1	Developmental

#### **U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Glycol Ether EB	Х	Х	Х
111-76-2			
Isopropyl Alcohol	Х	Х	Х
67-63-0			
Acetic acid	Х	Х	Х
64-19-7			
Methanol	Х	Х	Х
67-56-1			

# **16. OTHER INFORMATION**

<u>NFPA</u>	Health hazards	Flammability	Instability	Special hazards
<u>HMIS</u>	-	-	-	-
	Health hazards	Flammability	Physical hazards	Personal Protection
	-	-	-	Not determined

Issue Date: Revision Date: Revision Note: 05-Jun-2024 19-Mar-2025 Update to Section 1 and headers

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**